

## Section 1 – IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name:	Adsan CQD Concentrated Cleaner
Uses:	Hard surface germicidal cleaner and deodoriser for use in automatic dispensers
Company:	Ardrich Limited
Address:	31 Hannigan Drive
	St Johns
	Auckland, 1072, NZ
Telephone:	+64 9 570 2861
Email:	info@ardrich.co.nz
Emergency Phone No:	0800 764 766 (0800 POISON) National Poison Centre (after hours)
Section 2 – HAZARDS IDENTIFICATION	

Statement of Hazardous Nature: Hazardous Substance according to Environmental Protection Authority, New Zealand.

#### **HSNO Classifications:**

6.1E (oral)	Acutely toxic
6.3A	Irritating to the skin
6.4A	Irritating to the eye
6.5A (respiratory)	Respiratory sensitiser
6.5B (contact)	Contact sensitiser
6.9B (dermal)	Harmful to human target organs or systems
9.1B	Very ecotoxic in the aquatic environment (fish, crustacean, algal)
9.3B	Toxic to terrestrial vertebrates



Signal Words:

Danger

#### **Hazard Statement Codes**

H303	May be harmful if swallowed.
H315	Causes skin irritation.
H320	Causes eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

#### **Prevention Statements**

Geep out of reach of children.
lead label before use.
woid breathing mist/spray.
Vash hands thoroughly after handling.
Jse only outdoors or in a well-ventilated area.
2

# Safety Data Sheet



P280

Wear protective gloves and eye protection.

P285 In case of inadequate ventilation wear respiratory protection.

#### Section 3 – COMPOSITION INFORMATION ON INGREDIENTS

Hazardous Ingredients	CAS No.	Proportion, % m/m
Benzalkonium Chloride	8001-54-5	3
Non-ionic Surfactant	Proprietary Mixture	< 10
Citric Acid	77-92-9	< 10
Other ingredients determined to not be hazardous	-	to 100%

#### Section 4 – FIRST AID MEASURES

If medical advice is needed, have product container or label at hand. Call a POISON CENTRE or doctor if you feel unwell.

easy to do. If eye irritation persists: Get medical advice/attention.Inhalation:IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comforta for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/ physiciaIngestion:If swallowed, do NOT induce vomiting. Where there is risk of vomiting, lean person forward or place on left side to avoid aspiration of product into lungs. Obtain immediate medical attentionSkin contact:IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before re-use.Notes to physician:Treat symptomatically and supportively. Risk of aspiration to lungs. No specific antidote. Poter for chemical pneumonitis. Consider gastric lavage with protected airway, administration of activated charcoal. Dermatitis may result from prolonged or repeated exposure.Section 5 - FIRE-FIGHTING MEASURESFurther advice:Product is neither flammable nor combustible. Drums subject to the heat of a prolonged fire m explode scattering contents. Where possible remove drums and containers from the path of a or cool with water spray.On burning may emit toxic fumes including those of carbon monoxide and carbon dioxide. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustiExtinguishing media:Use dry chemical, carbon dioxide, water spray or alcohol-resistant foam. Do not discharge extinguishing waters into the aquatic environment.Hazchem Code:2XSection 6 - ACCIDENTAL RELEASE MEASURESEnvironmental PrecautionsIf safe to do so, prevent spillage from entering drains or water courses. If material enters drain advise		
for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/ physicia         Ingestion:       If swallowed, do NOT induce vomiting. Where there is risk of vomiting, lean person forward or place on left side to avoid aspiration of product into lungs. Obtain immediate medical attention         Skin contact:       IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before re-use.         Notes to physician:       Treat symptomatically and supportively. Risk of aspiration to lungs. No specific antidote. Poter for chemical pneumonitis. Consider gastric lavage with protected airway, administration of activated charcoal. Dermatitis may result from prolonged or repeated exposure.         Section 5 – FIRE-FIGHTING MEASURES       Product is neither flammable nor combustible. Drums subject to the heat of a prolonged fire mexplode scattering contents. Where possible remove drums and containers from the path of a or cool with water spray.         On burning may emit toxic fumes including those of carbon monoxide and carbon dioxide. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustible. Section 6 – ACCIDENTAL RELEASE MEASURES         Environmental Precautions       If safe to do so, prevent spillage from entering drains or water courses. If material enters drain advise emergency services.         Methods for Cleaning Up:       Spills on floors will product.         Minor spills should be contained from drainage, diluted with water, neutralised where appropriat drain advise emergency services.         Methods for Cleaning Up:       Spills	Eye contact:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. If eye irritation persists: Get medical advice/attention.
place on left side to avoid aspiration of product into lungs. Obtain immediate medical attention         Skin contact:       IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before re-use.         Notes to physician:       Treat symptomatically and supportively. Risk of aspiration to lungs. No specific antidote. Poter for chemical pneumonitis. Consider gastric lavage with protected airway, administration of activated charcoal. Dermatitis may result from prolonged or repeated exposure.         Section 5 - FIRE-FIGHTING MEASURES       Product is neither flammable nor combustible. Drums subject to the heat of a prolonged fire m explode scattering contents. Where possible remove drums and containers from the path of a or cool with water spray.         On burning may emit toxic fumes including those of carbon monoxide and carbon dioxide. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combusti Extinguishing media:       Use dry chemical, carbon dioxide, water spray or alcohol-resistant foam. Do not discharge extinguishing waters into the aquatic environment.         Hazchem Code:       2X         Section 6 - ACCIDENTAL RELEASE MEASURES         Environmental Precautions       If safe to do so, prevent spillage from entering drains or water courses. If material enters drain advise emergency services.         Methods for Cleaning Up:       Spills on floors will produce a slippery surface. Signage preventing foot traffic should be used on after neutralising the spilt product.         Minor spills should be contained from drainage, diluted with water, neutralis	Inhalation:	IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/ physician.
attention. Take off contaminated clothing and wash before re-use.Notes to physician:Treat symptomatically and supportively. Risk of aspiration to lungs. No specific antidote. Poter for chemical pneumonitis. Consider gastric lavage with protected airway, administration of activated charcoal. Dermatitis may result from prolonged or repeated exposure.Section 5 - FIRE-FIGHTING MEASURESFurther advice:Product is neither flammable nor combustible. Drums subject to the heat of a prolonged fire m explode scattering contents. Where possible remove drums and containers from the path of a or cool with water spray. On burning may emit toxic fumes including those of carbon monoxide and carbon dioxide. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustiExtinguishing media:Use dry chemical, carbon dioxide, water spray or alcohol-resistant foam. Do not discharge extinguishing waters into the aquatic environment.Hazchem Code:2XSection 6 - ACCIDENTAL RELEASE MEASURESEnvironmental PrecautionsIf safe to do so, prevent spillage from entering drains or water courses. If material enters drain advise emergency services.Methods for Cleaning Up:Spills on floors will produce a slippery surface. Signage preventing foot traffic should be used only after neutralising the spilt product.Minor spills should be contained from drainage, diluted with water, neutralised where appropri and removed with mops, or absorbed with, rags, paper, sand, or soil. It may be possible to drai smill spills to town wastewater services where permitted by local authorities. Large spills - soak up with sand or other suitable absorbent. Collect into suitable containers for disposal. Wash the contaminated area with excess water. Do not releas	Ingestion:	If swallowed, do NOT induce vomiting. Where there is risk of vomiting, lean person forward or place on left side to avoid aspiration of product into lungs. Obtain immediate medical attention.
for chemical pneumonitis. Consider gastric lavage with protected airway, administration of activated charcoal. Dermatitis may result from prolonged or repeated exposure.Section 5 - FIRE-FIGHTING MEASURESFurther advice:Product is neither flammable nor combustible. Drums subject to the heat of a prolonged fire m explode scattering contents. Where possible remove drums and containers from the path of a or cool with water spray. On burning may emit toxic fumes including those of carbon monoxide and carbon dioxide. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustiExtinguishing media:Use dry chemical, carbon dioxide, water spray or alcohol-resistant foam. Do not discharge extinguishing waters into the aquatic environment.Hazchem Code:2XSection 6 - ACCIDENTAL RELEASE MEASURESEnvironmental PrecautionsIf safe to do so, prevent spillage from entering drains or water courses. If material enters drain advise emergency services.Methods for Cleaning Up:Spills on floors will produce a slippery surface. Signage preventing foot traffic should be erecte where appropriate. Where a liquid suction cleaning machine is available, it should be used only after neutralising the spilt product.Minor spills should be contained from drainage, diluted with water, neutralised where appropri and removed with mops, or absorbed with, rags, paper, sand, or soil. It may be possible to drais small spills to town wastewater services where permitted by local authorities. Large spills - soak up with sand or other suitable absorbent. Collect into suitable containers for disposal. Wash the containinated area with excess water. Do not release washings to the	Skin contact:	
Further advice:       Product is neither flammable nor combustible. Drums subject to the heat of a prolonged fire mexplode scattering contents. Where possible remove drums and containers from the path of a or cool with water spray.         On burning may emit toxic fumes including those of carbon monoxide and carbon dioxide. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combusti         Extinguishing media:       Use dry chemical, carbon dioxide, water spray or alcohol-resistant foam. Do not discharge extinguishing waters into the aquatic environment.         Hazchem Code:       2X         Section 6 – ACCIDENTAL RELEASE MEASURES         Environmental Precautions       If safe to do so, prevent spillage from entering drains or water courses. If material enters drain advise emergency services.         Methods for Cleaning Up:       Spills on floors will produce a slippery surface. Signage preventing foot traffic should be used on the after neutralising the spilt product.         Minor spills should be contained from drainage, diluted with water, neutralised where appropriate small spills to town wastewater services where permitted by local authorities.         Large spills - soak up with sand or other suitable absorbent. Collect into suitable containers for disposal. Wash the contaminated area with excess water. Do not release washings to the	Notes to physician:	
explode scattering contents. Where possible remove drums and containers from the path of a or cool with water spray.On burning may emit toxic fumes including those of carbon monoxide and carbon dioxide. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustiExtinguishing media:Use dry chemical, carbon dioxide, water spray or alcohol-resistant foam. Do not discharge extinguishing waters into the aquatic environment.Hazchem Code:2XSection 6 - ACCIDENTAL RELEASE MEASURESEnvironmental PrecautionsIf safe to do so, prevent spillage from entering drains or water courses. If material enters drain advise emergency services.Methods for Cleaning Up:Spills on floors will produce a slippery surface. Signage preventing foot traffic should be used only after neutralising the spilt product.Minor spills should be contained from drainage, diluted with water, neutralised where appropri and removed with mops, or absorbed with, rags, paper, sand, or soil. It may be possible to drais small spills to town wastewater services where permitted by local authorities. Large spills - soak up with sand or other suitable absorbent. Collect into suitable containers for disposal. Wash the contaminated area with excess water. Do not release washings to the	Section 5 – FIRE-FIGHTING	MEASURES
Fighters to wear self-contained breathing apparatus if risk of exposure to products of combustiExtinguishing media:Use dry chemical, carbon dioxide, water spray or alcohol-resistant foam. Do not discharge extinguishing waters into the aquatic environment.Hazchem Code:2XSection 6 – ACCIDENTAL RELEASE MEASURESEnvironmental PrecautionsIf safe to do so, prevent spillage from entering drains or water courses. If material enters drain advise emergency services.Methods for Cleaning Up:Spills on floors will produce a slippery surface. Signage preventing foot traffic should be erecte where appropriate. Where a liquid suction cleaning machine is available, it should be used only after neutralising the spill product.Minor spills should be contained from drainage, diluted with water, neutralised where appropri and removed with mops, or absorbed with, rags, paper, sand, or soil. It may be possible to drais small spills to town wastewater services where permitted by local authorities. Large spills - soak up with sand or other suitable absorbent. Collect into suitable containers for disposal. Wash the contaminated area with excess water. Do not release washings to the	Further advice:	Product is neither flammable nor combustible. Drums subject to the heat of a prolonged fire may explode scattering contents. Where possible remove drums and containers from the path of a fire, or cool with water spray.
extinguishing waters into the aquatic environment.Hazchem Code:2XSection 6 – ACCIDENTAL RELEASE MEASURESEnvironmental PrecautionsIf safe to do so, prevent spillage from entering drains or water courses. If material enters drain advise emergency services.Methods for Cleaning Up:Spills on floors will produce a slippery surface. Signage preventing foot traffic should be erected where appropriate. Where a liquid suction cleaning machine is available, it should be used only after neutralising the spilt product.Minor spills should be contained from drainage, diluted with water, neutralised where appropriate and removed with mops, or absorbed with, rags, paper, sand, or soil. It may be possible to drait small spills to town wastewater services where permitted by local authorities. Large spills - soak up with sand or other suitable absorbent. Collect into suitable containers for disposal. Wash the contaminated area with excess water. Do not release washings to the		On burning may emit toxic fumes including those of carbon monoxide and carbon dioxide. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion.
Section 6 – ACCIDENTAL RELEASE MEASURES         Environmental Precautions       If safe to do so, prevent spillage from entering drains or water courses. If material enters drain advise emergency services.         Methods for Cleaning Up:       Spills on floors will produce a slippery surface. Signage preventing foot traffic should be erecter where appropriate. Where a liquid suction cleaning machine is available, it should be used only after neutralising the spilt product.         Minor spills should be contained from drainage, diluted with water, neutralised where appropriate or absorbed with, rags, paper, sand, or soil. It may be possible to drait small spills to town wastewater services where permitted by local authorities.         Large spills - soak up with sand or other suitable absorbent. Collect into suitable containers for disposal. Wash the contaminated area with excess water. Do not release washings to the	Extinguishing media:	
<ul> <li>Environmental Precautions</li> <li>If safe to do so, prevent spillage from entering drains or water courses. If material enters drain advise emergency services.</li> <li>Methods for Cleaning Up:</li> <li>Spills on floors will produce a slippery surface. Signage preventing foot traffic should be erecte where appropriate. Where a liquid suction cleaning machine is available, it should be used only after neutralising the spilt product.</li> <li>Minor spills should be contained from drainage, diluted with water, neutralised where appropriate or advise with mops, or absorbed with, rags, paper, sand, or soil. It may be possible to drais small spills to town wastewater services where permitted by local authorities.</li> <li>Large spills - soak up with sand or other suitable absorbent. Collect into suitable containers for disposal. Wash the contaminated area with excess water. Do not release washings to the</li> </ul>	Hazchem Code:	2X
advise emergency services.         Methods for Cleaning Up:         Spills on floors will produce a slippery surface. Signage preventing foot traffic should be erecter where appropriate. Where a liquid suction cleaning machine is available, it should be used only after neutralising the spilt product.         Minor spills should be contained from drainage, diluted with water, neutralised where appropriate and removed with mops, or absorbed with, rags, paper, sand, or soil. It may be possible to drait small spills to town wastewater services where permitted by local authorities.         Large spills - soak up with sand or other suitable absorbent. Collect into suitable containers for disposal. Wash the contaminated area with excess water. Do not release washings to the	Section 6 – ACCIDENTAL R	ELEASE MEASURES
where appropriate. Where a liquid suction cleaning machine is available, it should be used only after neutralising the spilt product. Minor spills should be contained from drainage, diluted with water, neutralised where appropriand removed with mops, or absorbed with, rags, paper, sand, or soil. It may be possible to drais small spills to town wastewater services where permitted by local authorities. Large spills - soak up with sand or other suitable absorbent. Collect into suitable containers for disposal. Wash the contaminated area with excess water. Do not release washings to the	Environmental Precautions	If safe to do so, prevent spillage from entering drains or water courses. If material enters drains, advise emergency services.
and removed with mops, or absorbed with, rags, paper, sand, or soil. It may be possible to drait small spills to town wastewater services where permitted by local authorities. Large spills - soak up with sand or other suitable absorbent. Collect into suitable containers for disposal. Wash the contaminated area with excess water. Do not release washings to the	Methods for Cleaning Up:	Spills on floors will produce a slippery surface. Signage preventing foot traffic should be erected where appropriate. Where a liquid suction cleaning machine is available, it should be used only after neutralising the spilt product.
disposal. Wash the contaminated area with excess water. Do not release washings to the		Minor spills should be contained from drainage, diluted with water, neutralised where appropriate and removed with mops, or absorbed with, rags, paper, sand, or soil. It may be possible to drain small spills to town wastewater services where permitted by local authorities.

# Safety Data Sheet



## Section 7 – HANDLING AND STORAGE

Exposure Controls:	No data is available for the product. In	gredients do not hav	ve any exposure li	mits (WES).
Handling Precautions:	Use outdoors or in a well-ventilated area. Do not breathe mist or spray.			
	Wear personal protective equipment. When handling bulk liquid, wear safety glasses or chemical goggles, chemically impregnable gloves, and protective work clothes (coat, apron or overalls). Wash hands with soap and water after handling.			
Storage:	Store in a well-ventilated place. Keep of	container tightly clos	ed. Store locked	up.
Section 8 – EXPOSURE CON	NTROLS/PERSONAL PROTECTION			
Exposure Limits:	No value assigned for this specific material. However, exposure standards for constituents;			or constituents;
	Material	TWA, mg/m <sup>3</sup>	STEL, mg/m <sup>3</sup>	Category/Notices
	-	-	-	-
Engineering Controls:	No controls required when handling sr quantities: Ventilation should be used			-
Protective Equipment:		Gloves, safety glasses or chemical goggles are recommended in an industrial environment. If TWA is exceeded, wear an approved respirator with a type A filter.		
Section 9 – PHYSICAL AND	CHEMICAL PROPERTIES			
Physical state:	Clear, colourless liquid.			
Odour:	Low			
pH:	About 4			
Vapour Density:	> 1 (Air =1)			
Vapour Pressure, kPa:	Not applicable			
Boiling Point, °C:	About 100.			
Melting Point, °C:	Not applicable.			
Specific Gravity:	1.02			
Refractive Index, Brix:	29.5			
Flash Point, °C:	Not applicable.			
Autoignition Temperature, °C	Not applicable			
Relative Foam:	High when diluted with water			
Solubility:	Soluble in water in all proportions.			
Section 10 – STABILITY AN	D REACTIVITY			
Stability:	Stable under normal conditions of use polymerisation will not occur. This pro	-		isers. Hazardous
Section 11 – TOXICOLOGIC	AL INFORMATION			
Basis for Assessment:	Information given is based on product	testing, and/or simil	ar products, and/	or components.
Acute Oral Toxicity:	LD50 4650 mg/kg, Rat (calculated fror	n components). Rela	tively low toxicity	/.
Acute Dermal Toxicity:	LD50 13,300 mg/kg, Rabbit (calculated	from components).	Relatively low to	xicity.
Toxicity of components:	Benzalkonium Chloride: Acute oral to	cicity LD <sub>50:</sub> Rat 1420	mg/kg, Mouse 15	0 mg/kg
		toxicity LD <sub>50</sub> Rabbit		
Skin Irritation:	May cause skin irritation. Prolonged/relead to dermatitis.	epeated contact may	cause defatting	of the skin which can
Ref: Adsan CQD Conc SDS	Date: 27 November 2015	Issue No:	2	Page 3 of 4 pages

## Safety Data Sheet



Sensitisation:	May cause skin and respiratory sensitisation.	
Additional Information:	None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as being carcinogens.	
Section 12 – ECOTOXICITY	(INFORMATION	
Ecotoxicity:	Very toxic in aquatic environments with long lasting effects.	
	For Benzalkonium chloride: LC50 fathead minnow 0.28 mg/l 96 hr exposure. EC50 daphnia magna 0.006 mg/l 48 hr exposure.	
Persistence/degradability:	Expected to biodegrade in concentrations below 20 ppm.	
Section 13 – DISPOSAL CO	DNSIDERATIONS	
Material Disposal:	Minor spilled liquids (after neutralisation) may be disposed of through town wastewater systems where these are authorised for industrial use. Product wastes are considered ecotoxic and should be disposed of in accordance with applicable regional and national regulations.	
	Do not dispose into the environment, in drains or in water courses. Waste product should not be allowed to contaminate soil or water.	
Container Disposal:	Product containers are also considered wastes of the same class of the contents and should be disposed of in accordance with local legislation.	
Section 14 – TRANSPORT	INFORMATION	
Transport:	Not classified as a dangerous goods according to the NZ Land Transport Rule for road and rail, IMDG for sea, IATA for air.	
Section 15 - REGULATOR	Y INFORMATION	
EPA Group Standard:	Cleaning Products (Subsidiary Hazard) Group Standard 2006 HSR002530	

### Section 16 – OTHER INFORMATION

The information contained in this Safety Data Sheet is provided in good faith and is believed to be correct as at the date hereof. However, it is expected that individuals receiving the information will exercise their independent judgement in determining it's appropriateness for a particular purpose. The Proprietor makes no representation as to the accuracy or comprehensiveness of the information. Conditions of use and suitability of the product for particular uses are beyond our control; all risks of the use of the product are therefore assumed by the user and we expressly disclaim all warranties of any kind and nature, including warranties of merchantability and fitness for a particular purpose in respect to the use or suitability of the product. Appropriate warnings and safe handling procedures should be provided to handlers and users.

End of msds.